

IP Network Cameras



ONVIF PROFILE S COMPLIANT CAMERAS

**Expanding integration possibilities
with new IP solutions**

Honeywell

equiP® Series Cameras We're Open to Unlimited Possibilities




Honeywell's newly expanded line of ONVIF-compliant IP cameras give you increased flexibility and the freedom to choose what's right for your installation.

Designed with open IP standards, including ONVIF *Profile S*, our IP network cameras offer superb picture quality and seamless integration to our Honeywell video NVR and VMS solutions as well as other manufacturers' network devices to ensure full interoperability.



	equiP Series Common Features			
	Indoor Minidomes	Outdoor Minidomes	Box Cameras	IP IR Bullet
Standards	ONVIF (Profile S)			
Imager	CMOS (Progressive Scan)			
Video Streaming	Configurable resolution and frame rate for each selected H.264 stream			
On Board Storage	Up to 32 GB microSDHS (Class10) support on equiP Series S Only . Card not included			
Intelligent Video	Camera tamper detection, Video motion detection			
Privacy Zones	Conceals up to 5 areas of a scene from viewing and recording on equiP Series S Only			
Dual Stream Compression	H.264 and H.264/MJPEG – equiP Series Only			
Quad Stream Compression	H.264 (3X) and H.264/MJPEG – equiP Series S Only			
Security	Multiple user access levels with password protection			
Features	NTP Time Sync, Multiple Browser Support, Date/Time Stamp Embedded			
Audio Support	Two-way (Micro Dome Camera - Microphone only)			
Regulatory	FCC, CE, UL/CSA Listed			
IP rating		IP66		IP65

equiP Series S Models				
	Model #	Description	Lens Type	Power Information
Box				




equiP Series Models				
	Model #	Description	Lens Type	Power Information
Box				

	HCD3S2	3 MP Indoor Box TDN Storage		24AC/12DC/PoE, 4W
	HCD5S2	5 MP Indoor Box TDN Storage		24AC/12DC/PoE, 4W
	HCW2S2	1080p Indoor Box WDR TDN Storage		24AC/12DC/PoE, 6.3W


Micro Dome

	H2S1P6	720p Indoor Minidome Storage	4.0 mm Fixed	PoE, 3.5W
	H2S2P6	1080p Indoor Minidome Storage	4.0 mm Fixed	PoE, 3.5W




Indoor Dome

	H3D2S2	1080p Indoor Dome TDN Storage	3-9 MFZ (P-Iris)	24AC/12DC/PoE, 9W
	H3D3S2	3 MP Indoor Dome TDN Storage	3-9 MFZ (P-Iris)	24AC/12DC/PoE, 9W
	H3D5S2	5 MP Indoor Dome TDN Storage	3-9 MFZ (P-Iris)	24AC/12DC/PoE, 9W

IR Indoor Dome




	H3D2SR2	1080p Indoor IR Dome TDN Storage	3-9 MFZ (P-Iris)	24AC/12DC/PoE, 12W
	H3D3SR2	3 MP Indoor IR Dome TDN Storage	3-9 MFZ (P-Iris)	24AC/12DC/PoE, 12W
	H3D5SR2	5 MP Indoor IR Dome TDN Storage	3-9 MFZ (P-Iris)	24AC/12DC/PoE, 12W

Rugged Dome

	H4D2S2	1080p In/Outdoor Rugged Dome TDN Storage	3-9 MFZ (P-Iris)	24AC/12DC/PoE, 14.4W
	H4D3S2	3 MP In/Outdoor Rugged Dome TDN Storage	3-9 MFZ (P-Iris)	24AC/12DC/PoE, 14.4W
	H4D5S2	5 MP In/Outdoor Rugged Dome TDN Storage	3-9 MFZ (P-Iris)	24AC/12DC/PoE, 14.4W

For a full list of compatible cameras and recorders from Honeywell and other third parties, visit www.honeywell.com/security/hota.



	HCD1F	720p Indoor Box TDN		24AC/PoE, 5W
	HCD2F	1080p Indoor Box TDN		24AC/PoE, 5W
	HCW1F	720p Indoor Box WDR TDN		24AC/PoE, 5W



Indoor Dome

	H3D1F1	720p Indoor Dome TDN	3.3-12mm VFAI	24AC/PoE, 5W
	H3D2F1	1080p Indoor Dome TDN	3-9 mm MFZ	24AC/PoE, 5W
	H3W1F1	720p WDR Indoor Dome TDN	3.3-12mm VFAI	24AC/PoE, 5W
	H3SVP1	VGA Indoor Dome	3.3-12mm VFAI	24AC/PoE, 5W
	H3S1P1	720 Indoor Dome	3.3-12mm VFAI	24AC/PoE, 5W
	H3D1F2	720p Indoor Dome TDN	2.6-6mm VFAI	24AC/PoE, 5W
	H3D1F3	720p Indoor Dome TDN	10-28mm VFAI	24AC/PoE, 5W

Rugged Dome

	H4D1F1	720p In/Outdoor Rugged Dome TDN	3.3-12mm VFAI	24AC/PoE, 5W
	H4D2F1	1080p In/Outdoor Rugged Dome TDN	3-9 mm MFZ	24AC/PoE, 5W
	H4W1F1	720p WDR In/Outdoor Rugged Dome TDN	3.3-12mm VFAI	24AC/PoE, 5W
	H4SVP1	VGA In/Outdoor Dome	3.3-12mm VFAI	24AC/PoE, 5W
	H4S1P1	720 In/Outdoor Dome	3.3-12mm VFAI	24AC/PoE, 5W
	H4D1F2	720p In/Outdoor Rugged Dome TDN	2.6-6mm VFAI	24AC/PoE, 5W
	H4D1F3	720p In/Outdoor Rugged Dome TDN	10-28mm VFAI	24AC/PoE, 5W
	H4D1FR1	720p Indoor IR Dome TDN	3.3-12mm VFAI	24AC/PoE, 6W

IR Bullet Camera

	HBD2FR1	1080p In/Outdoor IR Bullet TDN	3-9mm MFZ	24AC/PoE, 12.5W
	HBD2FR2	1080p In/Outdoor IR Bullet TDN	10-23mm MFZ	24AC/PoE, 12.5W

equiP[®] Series Cameras We're Open to Unlimited Possibilities

Honeywell's newly expanded line of ONVIF-compliant IP cameras give you increased flexibility and the freedom to choose what's right for your installation.

Designed with open IP standards, including ONVIF *Profile S*, our IP network cameras offer superb picture quality and seamless integration to our Honeywell video NVR and VMS solutions as well as other manufacturers' network devices to ensure full interoperability.

	equiP Series Common Features			
	Indoor Minidomes	Outdoor Minidomes	Box Cameras	IP IR Bullet
Standards	ONVIF (Profile S)			
Imager	CMOS (Progressive Scan)			
Video Streaming	Configurable resolution and frame rate for each selected H.264 stream			
On Board Storage	Up to 32 GB microSDHS (Class10) support on equiP Series S Only . Card not included			
Intelligent Video	Camera tamper detection, Video motion detection			
Privacy Zones	Conceals up to 5 areas of a scene from viewing and recording on equiP Series S Only			
Dual Stream Compression	H.264 and H.264/MJPEG – equiP Series Only			
Quad Stream Compression	H.264 (3X) and H.264/MJPEG – equiP Series S Only			
Security	Multiple user access levels with password protection			
Features	NTP Time Sync, Multiple Browser Support, Date/Time Stamp Embedded			
Audio Support	Two-way (Micro Dome Camera - Microphone only)			
Regulatory	FCC, CE, UL/CSA Listed			
IP rating		IP66		IP65

equiP Series S Models				
	Model #	Description	Lens Type	Power Information
Box				
	HCD3S2	3 MP Indoor Box TDN Storage		24AC/12DC/PoE, 4W
	HCD5S2	5 MP Indoor Box TDN Storage		24AC/12DC/PoE, 4W
	HCW2S2	1080p Indoor Box WDR TDN Storage		24AC/12DC/PoE, 6.3W
Micro Dome				
	H2S1P6	720p Indoor Minidome Storage	4.0 mm Fixed	PoE, 3.5W
	H2S2P6	1080p Indoor Minidome Storage	4.0 mm Fixed	PoE, 3.5W
Indoor Dome				
	H3D2S2	1080p Indoor Dome TDN Storage	3-9 MFZ (P-Iris)	24AC/12DC/PoE, 9W
	H3D3S2	3 MP Indoor Dome TDN Storage	3-9 MFZ (P-Iris)	24AC/12DC/PoE, 9W
	H3D5S2	5 MP Indoor Dome TDN Storage	3-9 MFZ (P-Iris)	24AC/12DC/PoE, 9W
IR Indoor Dome				
	H3D2SR2	1080p Indoor IR Dome TDN Storage	3-9 MFZ (P-Iris)	24AC/12DC/PoE, 12W
	H3D3SR2	3 MP Indoor IR Dome TDN Storage	3-9 MFZ (P-Iris)	24AC/12DC/PoE, 12W
	H3D5SR2	5 MP Indoor IR Dome TDN Storage	3-9 MFZ (P-Iris)	24AC/12DC/PoE, 12W
Rugged Dome				
	H4D2S2	1080p In/Outdoor Rugged Dome TDN Storage	3-9 MFZ (P-Iris)	24AC/12DC/PoE, 14.4W
	H4D3S2	3 MP In/Outdoor Rugged Dome TDN Storage	3-9 MFZ (P-Iris)	24AC/12DC/PoE, 14.4W
	H4D5S2	5 MP In/Outdoor Rugged Dome TDN Storage	3-9 MFZ (P-Iris)	24AC/12DC/PoE, 14.4W

equiP Series Models				
	Model #	Description	Lens Type	Power Information
Box				
	HCD1F	720p Indoor Box TDN		24AC/PoE, 5W
	HCD2F	1080p Indoor Box TDN		24AC/PoE, 5W
	HCW1F	720p Indoor Box WDR TDN		24AC/PoE, 5W
Indoor Dome				
	H3D1F1	720p Indoor Dome TDN	3.3-12mm VFAI	24AC/PoE, 5W
	H3D2F1	1080p Indoor Dome TDN	3-9 mm MFZ	24AC/PoE, 5W
	H3W1F1	720p WDR Indoor Dome TDN	3.3-12mm VFAI	24AC/PoE, 5W
	H3SVP1	VGA Indoor Dome	3.3-12mm VFAI	24AC/PoE, 5W
	H3S1P1	720 Indoor Dome	3.3-12mm VFAI	24AC/PoE, 5W
	H3D1F2	720p Indoor Dome TDN	2.6-6mm VFAI	24AC/PoE, 5W
	H3D1F3	720p Indoor Dome TDN	10-28mm VFAI	24AC/PoE, 5W
Rugged Dome				
	H4D1F1	720p In/Outdoor Rugged Dome TDN	3.3-12mm VFAI	24AC/PoE, 5W
	H4D2F1	1080p In/Outdoor Rugged Dome TDN	3-9 mm MFZ	24AC/PoE, 5W
	H4W1F1	720p WDR In/Outdoor Rugged Dome TDN	3.3-12mm VFAI	24AC/PoE, 5W
	H4SVP1	VGA In/Outdoor Dome	3.3-12mm VFAI	24AC/PoE, 5W
	H4S1P1	720 In/Outdoor Dome	3.3-12mm VFAI	24AC/PoE, 5W
	H4D1F2	720p In/Outdoor Rugged Dome TDN	2.6-6mm VFAI	24AC/PoE, 5W
	H4D1F3	720p In/Outdoor Rugged Dome TDN	10-28mm VFAI	24AC/PoE, 5W
	H4D1FR1	720p Indoor IR Dome TDN	3.3-12mm VFAI	24AC/PoE, 6W
IR Bullet Camera				
	HBD2FR1	1080p In/Outdoor IR Bullet TDN	3-9mm MFZ	24AC/PoE, 12.5W
	HBD2FR2	1080p In/Outdoor IR Bullet TDN	10-23mm MFZ	24AC/PoE, 12.5W

For a full list of compatible cameras and recorders from Honeywell and other third parties, visit www.honeywell.com/security/hota.



For more information:

www.honeywellipsolutions.com

Automation and Control Solutions

Honeywell Security Products Americas

2700 Blankenbaker Pkwy, Suite 150

Louisville, KY 40299

1.800.323.4576

www.honeywell.com

L/ESRSSB/D

April 2014

© 2014 Honeywell International Inc.

Honeywell